Interference Search Notes

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	((encod\$3 or encapsulat\$3) and (encrypt\$3 or encipher\$3) and (snmp or "simple network management protocol")) and (@ay="1998" or @ay="1997")	US-PGPUB	OR	ON	2007/08/28 15:24
L2	0	((encod\$3 or encapsulat\$3) and (encrypt\$3 or encipher\$3) and (snmp or "simple network management protocol")).clm. and (@ay="1998" or @ay="1997")	US-PGPUB	OR	ON	2007/08/28 15:24

Dial∈g	DataS	itar _©				
options	logaff	feedback	help		Variable Control of the Control of t	
				databases easy search		•
			A	dvanced Search:	ekitik sedesikka em gerije ekit se esedem em manimistika handd	
٠			Ins	pec - 1898 to date (INZZ)		
······································		and the state of t		Limit		

Search history:

No.	Database	Search term	Info added since	Results	
СР		[Clipboard]		. 0	-
1		snmp OR simple ADJ adj1 ADJ network ADJ adj1 ADJ management ADJ adj1 ADJ protocol	unrestricted	1123	show titles
2	INZZ	1 AND (encrypt\$3 OR encipher\$3 OR cryptograph\$6)	unrestricted	22	show titles
3	INZZ	limit set 2 YEAR < 1999	unrestricted	7	show titles

hide | delete all search steps... | delete individual search steps...

	whole document		
Information added since: or: none (YYYYMMDD)			sear
[Images			
		•	
Select special search terms from the following list	st(s):	. '	
Publication year 1898-1949			
Inspec thesaurus - browse headings			
Inspec thesaurus - enter a term			
Classification codes A: Physics, 0-1			
Classification codes A: Physics, 2-3			
Classification codes A: Physics, 4-5			
Classification codes A: Physics, 6			
Classification codes A: Physics, 7			



Home | Login | Logout | Access Information | Alerts | Purchase History |

Welcome United States Patent and Trademark Office

3	Adv	anced	Search	
---	-----	-------	--------	--

BROWSE

SEARCH

IEEE XPLORE GUIDE

(OPTION 1 Enter keywords or phrases select fields and select or	nerators ② Help	» Publications
	snmp in All Fields AND rencrypt in All Fields OR rencrypt in All Fields	\$ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦	Select publications IEEE Periodicals IET Periodicals IEEE Conference I IET Conference Pr IEEE Standards
	» Note: If you use all three search boxes, the entries in the take precedence over the entry in the third box.	first two boxes	» Other Resources (Availab
©	OPTION 2 Enter keywords, phrases, or a Boolean expression	? Help	» Standard Status (Applies to IEEE Standards
		[2]	Status All » Select date range
			○ Search latest content u
	» Note: You may use the search operators <and> or <or></or></and>		to 1999 💌

» Learn more about Field Codes, Search Examples, and Search Operators

» Organize results

Citation

Maximum 100 T results of the second of the s

C Citatio

Help Contact Us

© Copyright 20

indexed by inspec°

Web Images Video News Maps Gmail more -

Sign in

Google

snmp (encrypt OR encipher OR cryptography)

Search Advanced Search

New! View and manage your web history

Web

Tip: Save time by hitting the return key instead of clicking on "search"

Your search - snmp (encrypt OR encipher OR cryptography) daterange:2449718-2450983 - did not match any documents.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	386	380/255,269.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:46
S2	87	S1 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:47
S3	726	713/150-152.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 16:07
S4	121	S3 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 16:07
S5	197	S2 or S4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 16:10
S6	33	S5 and (encod\$3 with (text or message))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S7	24	S6 and ((cryptograph\$6 or encrypt\$3 or encipher\$3) with (encod\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S8	0	S7 and (fetch with message)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 16:12

				1		
S9	0	S8 and (get with (request or response))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 16:12
S10	0	S7 and (proxy adj agent)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 16:13
S11	2	S7 and (agent)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 16:13
S12	0	S7 and (prescribable adj action)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 16:13
S13	386	380/255,269.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 08:22
S14	87	S13 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 08:22
S15	727	713/150-152.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 08:22
S16	121	S15 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 08:22

	I					
S17	197	S14 or S16	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 08:22
S18		S17 and (encod\$3 with (text or message))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28.08:22
S19		S18 and ((cryptograph\$6 or encrypt\$3 or encipher\$3) with (encod\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 08:22
S20	16	S19 and ((encod\$3 or encipher\$3 or encrypt\$3) with (network or tcp or ip or snmp or "simple network management protocol"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 09:53
S21	2	"5651006".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 09:53
S22	76	snmp with ("version 1" or "v1")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 10:35
S23	4	S22 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR .	ON	2005/06/28 10:35
S24	1900	(encod\$3 with (((network or tcp or ip or snmp) with protocol) or "simple network management protocol"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR ·	ON	2005/06/28 11:27

			Ţ	1		,
S25	280	S24 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR .	ON	2005/06/28 11:27
S26	11	S25 and ((encrypt\$3 or encipher\$3 or cryptograph\$6) with (encod\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 12:22
S27	13015	(double or twice) with encod\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S28	37	S27 and (encod\$3 with (((network or snmp or tcp) with protocol) or "simple network management protocol"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 12:23
S29	10	S28 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S30	100	("6468688" "4805324" "5745867" "5289471" "5400320" "5996020" "6272141" "6704323" "6055559" "6798763" "6437146" "5873071" "6044468" "6085237" "5949974" "6078646" "5561769" "5577204" "5704041" "5708964" "5778183" "5859975" "6041110" "6138162" "6173311" "6286040" "6385728" "6711613" "6728768" "6854011" "6058180" "6195424" "5790917" "6430610" "3573381" "4766534" "4845744" "5343468" "5497422" "5504743" "5548639" "5574931" "5586261" "5745680" "5822431" "5838790" "5870563" "5881243" "5905765" "5940390").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 12:39

				T	T	
S31	72	S30 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 12:39
S32	14	S31 and (encod\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 12:44
S33	2	"6424714".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 12:51
S34	2	"5870474".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 16:08
S35	2	"5481542".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 16:10
S36	* 2	"5420866".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON .	2005/06/28 16:10
S37	46	snmp with ("proxy agent")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 10:58
S38	7	S37 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON ·	2005/06/29 11:29

S39	3	S38 and (agent with (software or application))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 11:30
S40	6	("5870474" or "5678006" or "5651006").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 15:47
S41	2	"6188768".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 16:28
S42	444	380/255,269.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S43	. 87	S42 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S44	869	713/150-152.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S45	127	S44 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S46	203	S43 or S45	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06

CAZ	24	CAS and (oncode) with (toxt a-	US-PGPUB;	OR .	ON	2006/01/03 09:06
S47	34	S46 and (encod\$3 with (text or message))	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR .	ON	2006/01/03 09:06
S48 .	34	S46 and (encod\$3 with (text or message))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S49	24	S48 and ((cryptograph\$6 or encrypt\$3 or encipher\$3) with (encod\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S50	14185	(double or twice) with encod\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S51	14185	(double or twice) with encod\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S52	40	S51 and (encod\$3 with (((network or snmp or tcp) with protocol) or "simple network management protocol"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S53	10	S52 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR .	ON	2006/01/03 09:06
S54	5904	380/255,269.ccls. or 705/50-51. ccls. or 713/150-153,168,189,160. ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:02

S55	654	S54 and @ad<"19970626"	US-PGPUB; USPAT; USOCR;	OR	ON	2006/09/01 12:14
			EPO; DERWENT; IBM_TDB	-		
S56	6317	(encod\$3 or wrap\$4 or encapsulat\$3) with (network or snmp or atm or tcp) with protocol	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:04
S57	667	S56 and ((cryptograph\$6 or encrypt\$3 or hash\$3) with (encod\$3 or encapsulat\$3 or wrap\$4))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:04
S58	1	S57 and ((reencod\$3 or reencapsulat\$3 or rewrap\$4) with protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:55
S59	5	S57 and S55	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:08
S60	10512	(encod\$3 with (encrypt\$3 or cryptograph\$6) with encod\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:56
S61	1841	S60 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:09
S62	6	S61 and (request\$3 with fetch\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:13

S63	6	(encod\$3 or encapsulat\$3) with snmp with tcp	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:14
S64	1	S63 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:14
S65	29	(translat\$3) with snmp with tcp	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:14
S66	0	S65 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:14
S67	898	encod\$3 with first with protocol	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:15
S68	450	S67 and (encod\$3 with (second or different) with protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:15
S69	87	S68 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:29
S70	4	S69 and snmp	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR .	ON .	2006/09/01 12:16

					1	
S71	139	snmp with (set adj request)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:30
S72	. 85	S71 and (get adj request)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:31
S73	10	S72 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:54
S74	188	(encod\$3 with snmp)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:54
S75	10	S74 and ((encrypt\$3 or cryptograph\$3) with (packet or message or data))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:55
S76		S75 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR ,	ON	2006/09/01 12:55
S77	. 17	S74 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:56
S78	0.	S77 and ((reencod\$3 or reencapsulat\$3 or rewrap\$4) with (protocol or snmp))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:59

S79	 58	(encod\$3 with (encrypt\$3 or	US-PGPUB;	OR	ON	2006/09/01 12:56
		cryptograph\$6) with (reencod\$3 or "re-encode" or "re-encoding"))	USPAT; USOCR; EPO; DERWENT; IBM_TDB			2000/09/01 12:30
S80	5	S79 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 13:00
S81	12813	((reencod\$3 or reencapsulat\$3 or rewrap\$4) or ((multiple or second\$3) adj (encod\$3 or encapsulat\$3 or wrap\$4)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 13:00
S82	4826	S81 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 13:00
S83	107	S82 and ((cryptograph\$6 or encrypt\$3) with (message or data or packet))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 13:44
S84	0	twice with encod\$3 with (network adj protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 13:45
S85	0	twice with encod\$3 with (snmp)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 13:45
S86	7	S55 and S56	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 13:45

S87	190	encod\$3 with "without" with (decrypt\$3 or decipher\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:47
S88	17	S87 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:50
S89	5	(encapsulat\$3) with (encrypt\$3 or encipher\$3) with (packet or message or data) with (network adj protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:50
S90	0	S89 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:50
S91	4	("5870470" or "5678006").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 10:18
S92	4	("5870474" or "5678006").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 10:18
S93	11	("6571212" or "6101543" or "6385723" or "6675208" or "20010051996").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR ,	ON	2007/02/09 13:51
S94	2	"6034963".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 12:27

S95	520	(encod\$3 with (network adj protocol))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 12:27
S96	52	S95 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 13:30
S97	5491	(encrypt\$3 or encipher\$3) with (encoded)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 12:54
S98	885	S97 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 13:09
S99	51	S98 and (encode with (encrypted or enciphered))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 13:05
S10 0	. 5	(multiple with (encrypt\$3 or encipher\$3) with (network adj protocol))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 13:09
S10 1	234	((encrypt\$3 or encipher\$3) with (network adj protocol))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 13:09
S10 2	27	S101 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 13:30

S10 3	249	(tunnel adj mode) with ipsec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 13:30
S10 4	3	S103 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 13:30
S10 5	2781	(380/255,269.ccls. or 705/50-51. ccls. or 713/150-153,168,189,160. ccls. or 709/227-229,230,237.ccls.) and @ad<"19980619"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 13:48
S10 6	343	(encod\$3 or encapsulat\$3) with (snmp or (simple adj1 network adj1 management adj1 protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 14:52
S10 7	4	S105 and S106	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/08/28 12:58
S10 8	1872	(encod\$3 or encapsulat\$3) with (application with level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 13:08
S10 9	374	S108 and @ad<"19980619"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR .	ON	2007/08/28 13:11
S11 0	46	S109 and (encrypt\$3 or encipher\$3 or cryptograph\$6)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 13:09

S11 1	46	S106 and @ad<"19980619"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 13:47
S11 2	0	(twice or double or multiple) with (encod\$3 or encapsulat\$3) near1 (snmp or ("simple network management protocol"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 13:48
S11 3	56292	(twice or double or multiple) with (encod\$3 or encapsulat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 13:48
S11 4	156	(encrypt\$3 or encipher\$3) with (snmp or (simple adj1 network adj1 management adj1 protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 13:55
S11 5	11	S113 and S114	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 13:48
S11 6		S115 and @ad<"19980619"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR .	ON	2007/08/28 13:48
S11 7	3	S114 and @ad<"19980619"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 13:53
S11 8	544	709/229.ccls. and @ad<"19980619"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 14:28

S11	166	(onenuntate or oneighborts or	LIC DCDLID.	OR .	ON	2007/09/29 12:50
9	100	(encrypt\$3 or encipher\$3 or cryptograph\$6) with (snmp or (simple adj1 network adj1 management adj1 protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	UR .	ON	2007/08/28 13:59
S12 0	3	S119 and @ad<"19980619"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 13:53
S12 1	7	(encrypt\$3 or encipher\$3) near1 (snmp or (simple adj1 network adj1 management adj1 protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 13:55
S12 2	1	S121 and @ad<"19980619"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 13:59
S12 3	1501	(encrypt\$3 or encipher\$3 or cryptograph\$6) with (application with protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 13:59
S12 4	119	S123 and @ad<"19980619"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 13:59
S12 5	31	S118 and (snmp or (simple adj1 network adj1 management adj1 protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 14:28
S12 6	365	709/230.ccls. and @ad<"19980619"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 14:51

S12 7	29	S126 and (snmp or (simple adj1 network adj1 management adj1 protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 14:28
S12 8	395	726/1-3,11-14.ccls. and @ad<"19980619"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 14:52
S12 9	19	S128 and (snmp or (simple adj1 network adj1 management adj1 protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 14:52